

## 1 Identification

- **Product identifier**
- **Trade name:** Foaming Baseboard Stripper & Cleaner
- **Article number:** 346
- **Application of the substance / the mixture** Cleaner & Stripper
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
ITW Pro Brands  
805 East Old 56 Highway  
Olathe, Kansas 66061  
Phone: 1-800-224-4860
- **Emergency telephone number:** Infotrac Emergency Hotline: 1-800-535-5053

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS04 GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

2-butoxyethanol

2-aminoethanol

- **Hazard statements**

H280 Contains gas under pressure; may explode if heated.

H312 Harmful in contact with skin.

# Safety Data Sheet

## acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

### Trade name: Foaming Baseboard Stripper & Cleaner

(Contd. of page 1)

H315 Causes skin irritation.

H318 Causes serious eye damage.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P280 Wear protective gloves / eye protection.

P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P302+P352 If on skin: Wash with plenty of water.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

- **WHMIS-symbols:**

A - Compressed gas

D2B - Toxic material causing other toxic effects



- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

(Contd. on page 3)

# Safety Data Sheet

## acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 2)

111-76-2	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Flam. Liq. 4, H227	10-20%
72-28-5	Isobutane ⚠ Flam. Gas 1, H220	1-5%
141-43-5	2-aminoethanol ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Flam. Liq. 4, H227	1-5%
74-98-6	propane ⚠ Flam. Gas 1, H220 Press. Gas, H280	1-5%

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Take affected persons out into the fresh air.  
 Immediately remove any clothing soiled by the product.

- **After inhalation:**

Supply fresh air; consult doctor in case of complaints.  
 Provide oxygen treatment if affected person has difficulty breathing.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation continues, consult a doctor.  
 Launder contaminated clothing before reuse.

- **After eye contact:**

Remove contact lenses if worn.  
 Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Unlikely route of exposure.  
 Rinse out mouth and then drink plenty of water.  
 Do not induce vomiting; immediately call for medical help.

- **Most important symptoms and effects, both acute and delayed**

Headache  
 Breathing difficulty  
 Dizziness  
 Coughing  
 Frostbite  
 Nausea  
 Gastric or intestinal disorders when ingested.  
 Strong irritant with the danger of severe eye injury.  
 Disorientation

- **Danger**

Danger of impaired breathing.  
 May be harmful in contact with skin.  
 Danger of severe eye injury.

(Contd. on page 4)

## Safety Data Sheet

### acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 3)

- **Indication of any immediate medical attention and special treatment needed**  
If necessary oxygen respiration treatment.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
Danger of receptacles bursting because of high vapor pressure if heated.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Absorb liquid components with liquid-binding material.  
Pick up mechanically.  
Dispose contaminated material as waste according to item 13.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Use only in well ventilated areas.  
Avoid splashes or spray in enclosed areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurized containers.  
Provide ventilation for receptacles.

(Contd. on page 5)

# Safety Data Sheet

## acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 4)

- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.  
Protect from frost.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

#### · Components with limit values that require monitoring at the workplace:

##### 111-76-2 2-butoxyethanol

PEL (USA)	Long-term value: 240 mg/m <sup>3</sup> , 50 ppm Skin
REL (USA)	Long-term value: 24 mg/m <sup>3</sup> , 5 ppm Skin
TLV (USA)	Long-term value: 97 mg/m <sup>3</sup> , 20 ppm BEI
EL (Canada)	Long-term value: 20 ppm
EV (Canada)	Long-term value: 20 ppm Skin
LMPE (Mexico)	Long-term value: 20 ppm A3, IBE

##### 141-43-5 2-aminoethanol

PEL (USA)	Long-term value: 6 mg/m <sup>3</sup> , 3 ppm
REL (USA)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 8 mg/m <sup>3</sup> , 3 ppm
TLV (USA)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm
EL (Canada)	Short-term value: 6 ppm Long-term value: 3 ppm
EV (Canada)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm
LMPE (Mexico)	Short-term value: 6 ppm Long-term value: 3 ppm

##### 74-98-6 propane

PEL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
TLV (USA)	refer to Appendix F
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1.000 ppm

(Contd. on page 6)

## Safety Data Sheet

acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 5)

LMPE (Mexico)	Long-term value: 1000 ppm
---------------	---------------------------

· **Ingredients with biological limit values:**

**111-76-2 2-butoxyethanol**

BEI (USA)	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----------	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Contact lenses should not be worn.



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

## acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

<b>Trade name: Foaming Baseboard Stripper &amp; Cleaner</b>
---

(Contd. of page 6)

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:** Aerosol

- **Color:** Pink

- **Odor:** Fruit-like

- **Odor threshold:** Not determined.

- **pH-value:** 10.0 - 11.5

- **Change in condition**

- **Melting point/Melting range:** Not applicable, as aerosol.

- **Boiling point/Boiling range:** Not applicable, as aerosol.

- **Flash point:** Not applicable, as aerosol.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Not determined.

- **Explosion limits:**

- **Lower:** Not determined.

- **Upper:** Not determined.

- **Vapor pressure at 21 °C (70 °F):** 115 psig

- **Density at 20 °C (68 °F):** 0.98 g/cm<sup>3</sup> (8.178 lbs/gal)

- **Relative density** Not determined.

- **Vapour density** > 1 (Air=1)

- **Evaporation rate** Not applicable.

- **Solubility in / Miscibility with**

- **Water:** Soluble.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- **Dynamic:** Not determined.

- **Kinematic:** Not determined.

- **Solvent content:**

- **VOC content:** 28.42 %

- **Other information** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: **Foaming Baseboard Stripper & Cleaner**

(Contd. of page 7)

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** Keep away from heat and direct sunlight.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 111-76-2 2-butoxyethanol

Oral	LD50	1480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4h	450 ppm (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant  
May be harmful in contact with skin.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** See Section 15.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 9)

# Safety Data Sheet

## acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 8)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Waste disposal key:** EPA RCRA Code (USA) : None .
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1950
- **UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

- **DOT** Aerosols
- **ADR** 1950 AEROSOLS
- **IMDG** AEROSOLS
- **IATA** AEROSOLS, non-flammable
- **Transport hazard class(es)**

- **DOT**



- **Class** 2 Gases

(Contd. on page 10)




# Safety Data Sheet

acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

<b>Trade name: Foaming Baseboard Stripper &amp; Cleaner</b>
---

		(Contd. of page 9)
· Label	2.2	
<hr style="border-top: 1px dashed #000;"/>		
· ADR		
		
· Class	2 5A Gases	
· Label	2.2	
<hr style="border-top: 1px dashed #000;"/>		
· IMDG		
		
· Class	2 Gases	
· Label	2.2	
<hr style="border-top: 1px dashed #000;"/>		
· IATA		
		
· Class	2.2	
· Label	2.2	
· Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Gases	
· Danger code (Kemler):	-	
· EMS Number:	F-D,S-U	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· DOT		
· Quantity limitations	On passenger aircraft/rail: 75kg On cargo aircraft only: 150kg	
<hr style="border-top: 1px dashed #000;"/>		
· ADR		
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity	
<hr style="border-top: 1px dashed #000;"/>		
· IMDG		
· Limited quantities (LQ)	1L	
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity	
· UN "Model Regulation":	UN1950, Aerosols, 2.2	

(Contd. on page 11)

# Safety Data Sheet

acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

<b>Trade name: Foaming Baseboard Stripper &amp; Cleaner</b>
---

(Contd. of page 10)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA

<b>· Section 355 (extremely hazardous substances):</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Section 313 (Specific toxic chemical listings):</b>
--

111-76-2   2-butoxyethanol
----------------------------

<b>· TSCA (Toxic Substances Control Act):</b>
---

All ingredients are listed.
-----------------------------

<b>· Proposition 65 (California)</b>
--------------------------------------

<b>· Chemicals known to cause cancer:</b>
---

Present in trace quantities.
------------------------------

81-88-9   9-(2-carboxyphenyl)-3,6-bis(diethylamino)xanthylium chloride
--

<b>· Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients are listed.
-------------------------------------

<b>· Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients is listed.
------------------------------------

<b>· Chemicals known to cause developmental toxicity:</b>
---

Present in trace quantities.
------------------------------

7446-09-5   sulphur dioxide
-----------------------------

<b>· Carcinogenic categories</b>
----------------------------------

<b>· EPA (Environmental Protection Agency)</b>
--

111-76-2   2-butoxyethanol	NL
----------------------------	----

<b>· IARC (International Agency for Research on Cancer)</b>
---

111-76-2   2-butoxyethanol	3
----------------------------	---

<b>· TLV (Threshold Limit Value established by ACGIH)</b>
---

111-76-2   2-butoxyethanol	A3
----------------------------	----

<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

None of the ingredients is listed.
------------------------------------

<b>· State Right to Know Listings</b>
---------------------------------------

Some ingredients listed.
--------------------------

<b>· Canadian substance listings:</b>
---------------------------------------

<b>· Canadian Domestic Substances List (DSL)</b>
--

All ingredients are listed.
-----------------------------

<b>· Canadian Ingredient Disclosure list (limit 0.1%)</b>
---

None of the ingredients is listed.
------------------------------------

<b>· Canadian Ingredient Disclosure list (limit 1%)</b>
---

111-76-2   2-butoxyethanol
----------------------------

141-43-5   2-aminoethanol
---------------------------

(Contd. on page 12)

## Safety Data Sheet

### acc. to HCS and GHS

Printing date 11/24/2014

Reviewed on 11/24/2014

**Trade name: Foaming Baseboard Stripper & Cleaner**

(Contd. of page 11)

- **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** 11/24/2014 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Gas 1: Flammable gases, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

- **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)